

3M Science.
Applied to Life.™

3M™ Flow Control Chemical Management System



Distributed by:

To learn more about the 3M™ Flow Control's accuracy, visit 3M.com/accuracy and request a demo today.



Potential consequences of inaccuracy.

Over-Dilution (too much water)



Ineffective disinfectant	Decreased efficacy of over-diluted chemicals
	Non-compliance with EPA label
Ineffective cleaning ability	Re-cleaning of surfaces
	Increased labor to counter performance issues of incorrectly mixed concentrates, overall costs
	Potential for harmful exposure due to manual dilution

Under-Dilution (too much chemical)



Increased costs and exposure	Over-spending/increased costs due to inconsistent chemical dispensing
	Potential for harmful exposure and worker safety hazards
	Surface degradation caused by overly acidic or basic chemical mixes, increasing replacement costs
Excess residue	Higher frequency of sticky floors/surfaces
	Re-cleaning of surfaces
	Additional labor/effort, increasing labor and product costs
	Potential for harmful exposure due to manual dilution

The 3M™ Flow Control Chemical Management System is 55% more accurate on average¹ at diluting cleaning and disinfecting concentrates.


3M™ Flow Control System

- 55–96% more accurate dilution¹
- 17–49% more compact,² while holding up to four half-gallon bottles
- Simple dispensing dial improves safety and productivity
- 3-point locking system limits chemical exposure and helps prevent theft
- Compatible with 26 different 3M™ Cleaning Concentrates
- 3M Flow Control concentrate bottles are made with 25% post-consumer recycled content and are BPA-free
- Compact size measurements: 12.25"W × 22.5"H × 6.3"D




3M has the lowest dilution error of six leading competitive systems.

Dispensers tested over a dynamic water pressure range of 20–120 psi.




73% less variation in volume dispensed
57% less variation in dilution accuracy

3M™ Flow Control System



Competitor



3M™ Flow Control Portable Dispensing System

- Improved flexibility, convenience and staff productivity
- Designed for half-gallon bottles of 3M™ Cleaning Concentrates
- Foaming adapter sold separately



Whether cleaning a hospital, classroom, office building or retail space, you know you're getting the right amount of chemicals to do the job efficiently and effectively.

3M™ Flow Control Chemical Management System

3M™ Chemical Concentrates		3M™ Chemical Concentrates		Dispensers	
1	Glass Cleaner	23	Neutral Quat Disinfectant†	3M™ Flow Control Portable Dispenser	
2	HD Multi-Surface	24	3-in-1 Floor Cleaner	3M™ Flow Control Chemical Dispenser, Action Gap	
3	Neutral Cleaner	25	HB Quat Disinfectant†	3M™ Flow Control Chemical Dispenser, Action Gap, Pressure Relief Valve	
4	Bathroom Disinfectant	26	Industrial Degreaser Cleaner	3M™ Flow Control Chemical Dispenser, Air Gap	
5	Quat Disinfectant†	27	Scotchgard™ Extraction Cleaner	3M™ Flow Control Chemical Dispenser, Air Gap, Pressure Relief Valve	
6	Speed Stripper	28	Scotchgard™ Pretreatment Cleaner	3M™ Flow Control System Spray/Foam Applicator for Portable Dispenser	
7	Food Service Degreaser	34	Peroxide Cleaner	 Effective against SARS-CoV-2 (the cause of COVID-19).	
8	General Purpose Cleaner	35	Clean & Shine Daily Floor Enhancer		
13	Fresh Scent Deodorizer	40	Disinfectant Cleaner RCT†	† Meets the criteria defined in the U.S. EPA Emerging Pathogen Policy.	
15	Non-Acid Disinfectant Bath†	41	MBS Disinfectant Fresh Scent Cleaner†		
16	Sanitizer	42	MBS Disinfectant Cleaner†	<ol style="list-style-type: none"> The 3M™ Flow Control System (FCS) is 55% more accurate on average at diluting chemical concentrates than the nearest competitive system when used under laboratory conditions at water pressures ranging from 20 to 120 psi. The 3M™ Flow Control System is 17–49% smaller in cabinet size volume than the four competitive four-bottle dispenser systems tested. 	
17	Glass Cleaner and Protector	44	Bathroom Cleaner		
22	Floor Stripper LO	51	Bath & Shower Cleaner		



IMPORTANT NOTICE: Always refer to chemical product label prior to use. To learn more about SARS-CoV-2, please refer to the 3M Technical Talk “Coronavirus Disease 2019 (COVID-19) Tech Talk.”



The Carpet and Rug Institute (CRI) Seal of Approval addresses cleaning effectiveness by testing and certifying only those products that meet high performance standards.



Products No. 8, 34: Skin/eye damage met requirements at the as-used dilution, as specified for closed dilution systems.

Products No. 24, 44: Acute toxicity and skin/eye damage met requirements at the as-used dilution, as specified for closed dilution systems.

Products meet Green Seal® Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and humans and environmental toxicity. Greenseal.org

For more information, contact your sales rep or visit 3M.com/accuracy

Product Selection and Use: Many factors beyond 3M’s control and uniquely within user’s knowledge and control can affect the use and performance of a 3M product in a particular application. Customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer’s application, including conducting a workplace hazard assessment, reviewing all applicable regulations and standards, and reviewing the product label and use instructions. Failure to properly evaluate, select, and use a 3M product in accordance with instructions or to meet all applicable safety regulations may result in injury, sickness, death, and/or harm to property. **Warranty, Limited Remedy, and Disclaimer:** Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M’s option, replacement of the 3M product or refund of the purchase price. **Limitation of Liability:** Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.



Commercial Solutions
 3M Center, Building 220-12E-04
 St. Paul, MN 55144-1000 USA

Phone 1-800-852-9722
 Web 3M.com/accuracy

3M is a trademark of 3M Company. Used under license in Canada. Green Seal and the Green Seal Certified mark are trademarks of Green Seal, Inc. © 3M 2022. All rights reserved. Printed in USA. Please recycle.